L Number	Hits	Search Text	DB	Time stamp
-	119	bridge same bus\$4 same different same communication same	USPAT;	2003/12/01 11:16
		protocol\$1	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	400400	// ID // I I I I I I I I I I I I I I I I	IBM_TDB	
-	186139	(LIP (layered adj3 bridge))	USPAT;	2003/12/01 12:22
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	26	(layered adj3 bridge)	USPAT;	2003/12/01 12:22
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	670	layered adj3 protocol	USPAT;	2003/12/01 12:25
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
		· ·	IBM_TDB	
-	5	(layered adj3 protocol) same bridge	USPAT;	2003/12/01 12:33
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	54	isolat\$3 same fault\$1 same disabl\$3 same reset\$4	USPAT;	2003/12/02 10:23
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	3	isolat\$3 with fault\$1 with disabl\$3 with reset\$4	USPAT;	2003/12/02 10:08
			US-PGPUB;	
			EPO; JPO;	
			DERWENT:	
			IBM_TDB	
-	4500	signal with reset\$4 with disabl\$3	USPAT;	2003/12/02 10:23
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
_	2	(signal with reset\$4 with disabl\$3) same (isolat\$3 near3	USPAT;	2003/12/02 10:25
	_	fault\$1)	US-PGPUB;	
		, , , , , , , , , , , , , , , , , , ,	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
_	6	(signal with reset\$4 with disabl\$3) same (isolat\$3 with fault\$1)	USPAT;	2003/12/02 10:25
·		(Committee of the comm	US-PGPUB;	
			EPO; JPO;	
			DERWENT:	
			IBM_TDB	
_	0	(reset\$4 same disabl\$4) same bridge same (fault with	USPAT;	2003/12/02 10:28
		isolat\$3)	US-PGPUB;	2000/12/02 10:20
		10014(40)	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
_	11	((reset\$3 with disabl\$3) near3 signal\$3) same bridge	USPAT;	2003/12/02 10:38
	''	1/1. 222.45 mili dissista finano digitalipo) salito bilage	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
		,	IBM TDB	
		((reset\$3 with disabl\$3) near3 signal\$3)	USPAT;	2003/12/02 10:38
_	1200	i iricaciwa Willi uladulwai licata SiUlidiJa)i	LUGEAL.	1 2003/12/02 10:30
-	1299	((County of the state of state		
-	1299	(Construction of the Construction of the Const	US-PGPUB;	
-	1299	((Construction of the Construction)		

-	577	((reset\$3 with disabl\$3) adj3 signal\$3)	USPAT; US-PGPUB; EPO; JPO;	2003/12/02 10:40
			DERWENT;	
-	0	((reset\$3 with disabl\$3) adj3 signal\$3) same (fault with	IBM_TDB USPAT;	2003/12/02 10:39
		isolat\$3)	US-PGPUB; EPO; JPO;	
			DERWENT;	
-	4	((reset\$3 with disabl\$3) adj3 signal\$3) with fault	IBM_TDB USPAT;	2003/12/02 10:39
			US-PGPUB; EPO; JPO;	
			DERWENT;	
-	8	((reset\$3 with disabl\$3) adj3 signal\$3) same fault	IBM_TDB USPAT;	2003/12/02 10:40
			US-PGPUB; EPO; JPO;	
			DERWENT;	
_	17	((reset\$3 with disabl\$3) adj3 signal\$3) same (failure fault)	IBM_TDB USPAT;	2003/12/02 10:41
			US-PGPUB; EPO; JPO;	
			DERWENT;	
-	23	((reset\$3 with disabl\$3) adj3 signal\$3) same (failure fault	IBM_TDB USPAT;	2003/12/02 10:41
		isolat\$4)	US-PGPUB; EPO; JPO;	
	,		DERWENT;	
_	0	(isolat\$3 near3 (error fault\$1 failure\$1)) same ((reset\$3 with	IBM_TDB USPAT;	2003/12/02 10:55
		disabll\$3) with bridge)	US-PGPUB; EPO; JPO;	
			DERWENT;	
-	8245	(isolat\$3 near3 (error fault\$1 failure\$1))	IBM_TDB USPAT;	2003/12/02 10:55
			US-PGPUB; EPO; JPO;	
			DERWENT;	
-	0	(isolat\$3 near3 (error fault\$1 failure\$1)) same ((reset\$3 with	IBM_TDB USPAT;	2003/12/02 10:57
		disabl\$3) with bridge)	US-PGPUB; EPO; JPO;	
			DERWENT;	
-	8	(isolat\$3 near3 (error fault\$1 failure\$1)) same ((reset\$3 with	IBM_TDB USPAT;	2003/12/02 10:56
		disabl\$3))	US-PGPUB; EPO; JPO;	
			DERWENT;	
_	7	(isolat\$3 near3 (error fault\$1 failure\$1)) same (redundant	IBM_TDB USPAT;	2003/12/02 10:58
		same bridge\$1)	US-PGPUB; EPO; JPO;	
			DERWENT;	
-	25	redundant adj bridge	IBM_TDB USPAT;	2003/12/02 11:16
			US-PGPUB; EPO; JPO;	
			DERWENT; IBM TDB	
-	1052	bridge same redundan\$3	USPAT;	2003/12/02 11:20
			US-PGPUB; EPO; JPO;	
			DERWENT; IBM_TDB	
L	<u> </u>		<u> </u>	L

-	416	bridge with redundan\$3	USPAT;	2003/12/02 11:20
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	88	(bridge with redundan\$3) same (fault failure error)	USPAT;	2003/12/02 11:21
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	0	(fault adj torelant) same ((reset same disabl\$3) adj3	USPAT;	2003/12/02 12:46
		(command signal))	US-PGPUB;	
		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	EPO; JPO;	
			DERWENT;	
	İ		IBM_TDB	
-	1	(fault adj tolerant) same ((reset same disabl\$3) adj3	USPAT;	2003/12/02 12:47
		(command signal))	US-PGPUB;	
		(EPO; JPO;	
			DERWENT;	
			IBM_TDB	
_	29	(fault adj tolerant) same ((reset disabl\$3) adj3 (command	USPAT;	2003/12/02 12:47
		signal))	US-PGPUB;	
			EPO; JPO;	
	Į.		DERWENT;	
			IBM_TDB	
_	30	(fault adj tolerant) same ((reset\$4 disabl\$3) adj3 (command	USPAT;	2003/12/02 12:48
-	30	(laut auj tolerant) same ((resets4 disabis5) auj5 (command signal))	US-PGPUB;	2003/12/02 12.40
		signai))	EPO; JPO;	
			DERWENT;	
	220	(fault adi talarant) ages (inclute) with (fault failure area))	IBM_TDB	2002/42/02 42-50
-	220	(fault adj tolerant) same (isolat\$3 with (fault failure error))	USPAT;	2003/12/02 12:50
			US-PGPUB;	
		•	EPO; JPO;	
			DERWENT;	
	40	(for the off Antonio A) and a (for the 100 of the 100 o	IBM_TDB	000040404050
-	12	(fault adj tolerant) same (isolat\$3 with (fault failure error))	USPAT;	2003/12/02 12:50
		same disabl\$3	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	4799	(plural plurality multiple) adj3 bridge\$1	USPAT;	2003/12/02 13:02
		·	US-PGPUB;	
1			EPO; JPO;	
İ			DERWENT;	
			IBM_TDB	
-	39	((plural plurality multiple) adj3 bridge\$1) same fault	USPAT;	2003/12/02 13:06
			US-PGPUB;	
			EPO; JPO;	
1			DERWENT;	
1			IBM_TDB	
-	68	((plural plurality multiple) adj3 bridge\$1) same (failure error)	USPAT;	2003/12/02 13:06
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	451	dual adj3 bridg\$3	USPAT;	2003/12/02 13:24
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
_	581	redundan\$3 with bridg\$3	USPAT;	2003/12/02 13:25
			US-PGPUB;	
			EPO; JPO;	
1			DERWENT;	
			IBM_TDB	
	·			1

	444			
-	114	redundan\$3 adj3 bridg\$3	USPAT;	2003/12/02 13:25
			US-PGPUB;	
	1		EPO; JPO;	
			DERWENT;	İ
			IBM_TDB	
-	158	failure adj remed\$3	USPAT;	2003/12/02 13:48
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	399	bridge same duplicate	USPAT;	2003/12/02 14:00
		'	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
_	66	duplicat\$3 adj bridge	USPAT;	2003/12/02 14:02
			US-PGPUB;	2000/12/02 14:02
			EPO; JPO;	
			DERWENT;	
_	0	torelant with bridge	IBM_TDB USPAT;	2003/12/02 14:02
⁻		Corciant with bridge	US-PGPUB;	2003/12/02 14.02
			EPO; JPO;	
			DERWENT;	
	92	tolorant with bridge	IBM_TDB USPAT;	2002/42/02 44:02
-	92	tolerant with bridge		2003/12/02 14:02
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
		(C. H. 114.1. O. 110.1.1.1.00	IBM_TDB	0000440400
-	33	(fault adj tolerant) adj3 bridg\$3	USPAT;	2003/12/02 14:24
	-		US-PGPUB;	
			EPO; JPO;	
ĺ .			DERWENT;	
	_		IBM_TDB	
-	54	isolat\$3 same fault\$1 same reset\$4 same disabl\$3	USPAT;	2003/12/02 15:28
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	90	partner\$3 adj signal\$1	USPAT;	2003/12/02 16:00
			US-PGPUB;	
		· ·	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	13	(partner\$3 adj signal\$1) and bridge	USPAT;	2003/12/02 16:01
		-	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	42	isolat\$3 same fault same reset\$4 same disabl\$3	USPAT;	2003/12/02 16:25
			US-PGPUB;	
1			EPO; JPO;	
1			DERWENT;	
			IBM_TDB	
-	7751	isolat\$3 same fault	USPAT;	2003/12/02 16:25
	1		US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
1			IBM_TDB	
-	107	(isolat\$3 same fault) same redundan\$3 same (device\$1	USPAT;	2003/12/02 16:25
		bridge\$1)	US-PGPUB;	
1			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
	<u> </u>	<u> </u>		L

-	0	(isolat\$3 same fault) same (redundan\$3 adj (device\$1 bridge\$1))	USPAT; US-PGPUB;	2003/12/02 16:26
			EPO; JPO; DERWENT;	
	_		IBM_TDB	
-	0	(reset adj command) same (master adj3 device) same	USPAT;	2003/12/03 10:57
		(clear\$3 with error\$1)	US-PGPUB;	
İ .			EPO; JPO;	
			DERWENT; IBM_TDB	
_	1	(reset adj command) same ((host master) adj3 device) same	USPAT;	2003/12/03 11:00
_		(clear\$3 with error\$1)	US-PGPUB;	2003/12/03 11:00
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	0	(reset adj command) same (host master) same (clear\$3 with	USPAT;	2003/12/03 11:01
		error\$1) same bridge	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	3	reset same (host master) same (clear\$3 with error\$1) same	IBM_TDB USPAT;	2003/12/03 11:02
-	3	bridge	US-PGPUB;	2003/12/03 11.02
		blidge	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	14	(reset adj command) with clear\$3 with (error\$1 fault\$1)	USPAT;	2003/12/03 11:20
			US-PGPUB;	
			EPO; JPO;	
			DERWENT; IBM_TDB	
_	537	(CRC with compar\$3) same redundan\$3	USPAT;	2003/12/03 13:49
	001	(Orto with compared) sume redundance	US-PGPUB;	2000/12/00 10:40
			EPO; JPO;	
			DERWENT;	
	_		IBM_TDB	
-	9	redundant adj3 CRC adj3 calculat\$3	USPAT;	2003/12/03 13:46
	1		US-PGPUB; EPO; JPO;	
			DERWENT;	
ļ			IBM_TDB	
-	1085	CRC near3 compar\$3	USPAT;	2003/12/03 13:50
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
1_	1	(CRC near3 compar\$3) same bridge	IBM_TDB USPAT;	2003/12/03 13:50
-	1	(Onto hears compares) same unuge	US-PGPUB;	2003/12/03 13.30
	-		EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	38	(CRC near3 compar\$3) and (bus same bridge)	USPAT;	2003/12/03 13:50
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
-	62	compar\$3 same data same (different adj3 route\$1)	USPAT;	2003/12/03 14:15
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	44	ultro adi raliability	IBM_TDB	2002/42/02 44:42
•	11	ultra adj reliability	USPAT; US-PGPUB;	2003/12/03 14:18
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
				·

-	422	(high adj reliability) same (data adj transmission)	USPAT; US-PGPUB:	2003/12/03 14:35
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	9	(high adj reliability) same (data adj transmission) same	USPAT;	2003/12/03 14:41
		(compar\$3 with (data message packet))	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	8	((high adj reliability) same (data adj transmission) same	USPAT;	2003/12/03 14:51
		(compar\$3 with (data message packet))) and @ad<20000929	US-PGPUB;	
			EPO; JPO; DERWENT;	
			IBM_TDB	
1_	9	(high adj reliability) same (data adj transmission) same	USPAT;	2003/12/03 14:41
		(compar\$3 with (data message\$1 packet\$2))	US-PGPUB;	2003/12/03 14.41
		(compared min (cana mossaget r paskett2))	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	20	(high adj reliability) same (data adj transmission) same	USPAT;	2003/12/03 14:49
		redundan\$2	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	0000/40/00 44.54
-	0	ensure adj data adj integrioty	USPAT;	2003/12/03 14:51
			US-PGPUB; EPO; JPO;	
	1		DERWENT;	
			IBM_TDB	
_	761	ensure adj data adj integrity	USPAT:	2003/12/03 14:51
	1	and the same that the same same	US-PGPUB;	2000/12/00 11:01
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	1091	ensur\$3 adj1 data adj1 integrity	USPAT;	2003/12/03 14:51
			US-PGPUB;	
			EPO; JPO;	
			DERWENT; IBM_TDB	
_	77	(ensur\$3 adj1 data adj1 integrity) same redundan\$3	USPAT:	2003/12/03 14:51
		(chaire adj r data adj r integrity) same redundanes	US-PGPUB;	2003/12/03 14.51
1			EPO; JPO;	
	1		DERWENT;	
			IBM_TDB	
-	1078	compar\$3 adj received adj (message packet data)	USPAT;	2003/12/03 15:01
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
_	7	(compar\$3 adj received adj (message packet data)) same	IBM_TDB USPAT;	2003/12/03 15:02
	1	reliability	US-PGPUB;	2000/12/03 10:02
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	0	(compar\$3 adj received adj (message packet data)) same	USPAT;	2003/12/03 15:02
	1	redundan\$3 same reliability	US-PGPUB;	
	1		EPO; JPO;	
	1		DERWENT;	
1_	32	(compar\$3 adj3 (message packet data)) same redundan\$3	IBM_TDB	2003/12/03 15:02
-	32	(comparas adjs (message packet data)) same redundanas same reliability	USPAT; US-PGPUB;	2003/12/03 15:02
			EPO; JPO;	
			DERWENT;	
	L		IBM_TDB	